





CSS GENERAL CONTRACTOR DATABASE

The Construction Support Services GC database has over 8600 items of work from Division 1 through 43. We offer two databases arranged in the 2015 divisions of the CSI Master Format. One with man hour productivity, one with crews.

Both databases are fully interfaced with eTakeoff /Bridge and come complete with traces that match the database phase and item numbers and mapping history ready to import.

This database is complete with labor productivity, material unit pricing and Subcontractor pricing which can be modified by the end user with their specific historical data.

The databases include assemblies with extensive assembly help for every division of work. Most of the assemblies pertain to Sitework, Concrete, Masonry, Wood Framing, Lt.Ga. Framing and Drywall.

Database	Sı	pecif	icat	ions

Over 8000 Items

Over 1000 Formulas

Over 300 Assemblies, 7 Models

<u>Division</u>	# of Assemblies
Conceptual	48
General Conditions	3 2
Site Work	46
Concrete	53
Masonry	7
Metals	12
Wood & Plastics	40
Thermal & Moist.	17
Doors & Windows	5
Finishes	21
Specialties	11
Equipment	2
Furnishings	1
Special Construction	on 2
Elevators	1
Mechanical	40
Electrical	<u>11</u>
Total	319

Models

Site Improvements


Tilt-Wall Office Shell (Multi-Story)

Tilt-Wall Warehouse

Parking Garage (Concrete CIP)

Small Box Retail

Office / Medical 1 Story Shell



Phase	Description	Takeoff Quantity	Labor Price	Labor Amount	Material Price	Material Amount	Sub Price	Sub Amount	Equip Price	Equip Amount	Total Cost/Unit	Total Amount
	SITEWORK											
02320	BUILDING EXCAVATION											
	Excav. Grade Beams	44.44 cy	-	-		-	-	-	2.81 /cy	125	2.81 /cy	125
	Haul-off Spoil	23.44 cy	-	-		-	8.10 /cy	190	-	-	8.10 /cy	190
	Backfill/Compact	34.33 cy	18.72 /cy	643	-	-	-	-	-	-	18.72 /cy	643
	Level & Grade	100.00 sf	0.19 /sf	19		-	-	-	-	-	0.19 /sf	19
	CONCRETE											
03110	FORMWORK											
	Form Grade Beams < 4' High	400.00 sf	2.08 /sf	832	-	-	-	-	-	-	2.08 /sf	832
	Form Keyway @ Grd.Bms.	100.00 lf	0.47 Af	47		-	-	-	-	-	0.47 Af	47
1	3/4" BB Form Plywood	400.00 sf		-	22.00 /st	275	-	-	-	-	0.69 /sf	275
ji -	Dimension Form Lumber	600.00 bf	-	-	0.53 Abf	317	-	-	-	-	0.53 /bf	317
	Keyway Matl.	100.00 lf		-	0.28 Af	28	-	-	-	-	0.28 /lf	28
03150	CONCRETE ACCESSORIES											
	12" Snap Tie	120.00 ea		-	0.55 /ea	66	-	-	-	-	0.55 /ea	66
03310	CAST IN PLACE CONCRETE											
	3000 PSI HR	7.41 cy		-	72.00 /cy	533	-	-	-	-	72.00 /cy	533
	Place Grade Beam <4 ft. High	7.41 cy	5.20 /cy	39			-	-	-	-	5.20 /cy	39
03350	CEMENT FINISHING											
	Finish Grade Beam Top	100.00 sf	0.21 /sf	21		-	-	-	-	-	0.21 /sf	21
	BFP Vertical	400.00 sf	0.03 /sf	10	0.02 /sf	7	-	-	-	-	0.04 /sf	17
03390	CURING & PROTECTING											
	Curing Compound Vert. Surface	400.00 sf	0.03 /sf	10	0.03 /sf	11	-	-	-	-	0.05 /sf	22
	METALS											
05510	MISC. METALS											
	Embeded Anchor Bolts	25.00 ea	3.64 /ea	91	-		-	-	-	-	3.64 /ea	91

Example of the Assembly Help files attached to each assembly

